



ELSEVIER

Animal Feed Science and Technology 68 (1997) 371–373

ANIMAL FEED
SCIENCE AND
TECHNOLOGY

Contents of *Animal Feed Science and Technology*, Volume 68

VOL. 68 NOS. 1–2

SEPTEMBER 1997

| | |
|---|-----|
| Analysis of a national sample of animal drugs in commercial feed in an attempt to statistically determine the causes of poor assay recovery Z.B. Johnson (Fayetteville, AR, USA) and R.S. Sellers (Arlington, VA, USA) | 1 |
| The nutritive value for ruminants of lupin seeds from determinate plants and their replacement of soya bean meal in diets for young growing cattle A.R. Moss, D.I. Givens (Stratford on Avon, UK), H.F. Grundy and K.P.A. Wheeler (Hereford, UK) | 11 |
| Influence of genotype and stage of maturity of maize on rate of ruminal starch degradation C. Philippeau and B. Michalet-Doreau (Saint-Genès-Champagnelle, France) | 25 |
| Indigenous knowledge of the feeding value of tree fodder B. Thapa (Kathmandu, Nepal), D.H. Walker (Aitkenvale, Qld., Australia) and F.L. Sinclair (Bangor, UK) | 37 |
| The effect of a wheat–fat–interaction on the efficacy of a multi-enzyme preparation in broiler chickens G. Huyghebaert (Merelbeke, Belgium) | 55 |
| A comparison of methods for the determination of dry matter concentration in grass silage including an extraction method for water M.G. Porter and D. Barton (Hillsborough, UK) | 67 |
| In situ degradation kinetics of maize hybrid stalks M.R. Tovar-Gómez, J.C. Emile (Lusignan, France), B. Michalet-Doreau (St-Genès-Champagnelle, France) and Y. Barrière (Lusignan, France) | 77 |
| An analysis of methods for the utilisation of net energy concepts to improve the accuracy of feed evaluation in diets for pigs C.T. Whittemore (Edinburgh, UK) | 89 |
| Effect of <i>Acacia cyanophylla</i> Lindl. foliage supply on intake and digestion by sheep fed lucerne hay-based diets H. Ben Salem, A. Nefzaoui (Ariana, Tunisia), L. Ben Salem (Tunis, Tunisia) and J.L. Tisserand (Dijon, France) | 101 |
| Studies on in situ degradation of feeds in the rumen: 2. The effect of bag numbers incubated and post-incubation processing of residues J.A. Huntington and D.I. Givens (Stratford-upon-Avon, UK) | 115 |
| Studies on in situ degradation of feeds in the rumen: 3. The effect of freezing forages before and after rumen incubation J.A. Huntington and D.I. Givens (Stratford-upon-Avon, UK) | 131 |
| The nutritive value of canola, heat-treated canola and fish meals as protein supplements for lambs fed grass silage R. Plaisance, H.V. Petit, J.R. Seoane and R. Rioux (Québec, Canada) | 139 |

| | |
|--|-----|
| Ensiling quality of columbus grass (<i>Sorghum almum</i>) grown in northern Nigeria Muh.S. Kallah (Zaria, Nigeria), M. Baba (Abuja, Nigeria), J.P. Alawa, I.R. Muhammad and R.J. Tanko (Zaria, Nigeria) | 153 |
| Effect of urea treatment and diet composition on, and prediction of nutritive value of rice straw of different cultivars A. Rahal, A. Singh and M. Singh (Uttar Pradesh, India) | 165 |
| Evaluation of the nutritive value of kudzu (<i>Pueraria lobata</i>) as a feed for ruminants R.N. Corley, A. Woldegehebriel (Tuskegee, AL, USA) and M.R. Murphy (Urbana, IL, USA) | 183 |
| Book reviews | |
| Encyclopedia of Agricultural Science | 189 |
| The Living Gut: An Introduction to Micro-organisms in Nutrition | 190 |
| Basic Animal Nutrition and Feeding | 192 |

VOL. 68 NO. 3**OCTOBER 1997**

| | |
|--|-----|
| Lime treatment of agricultural residues to improve rumen digestibility J. Gandhi, M.T. Holtzapfle (College Station, TX, USA), A. Ferrer (Maracaibo, Venezuela), F.M. Byers, N.D. Turner, M. Nagwani and S. Chang (College Station, TX, USA) | 195 |
| Fodder shrub and tree species in the Highlands of southern Mexico L. Villafuerte, J. Nahed (Chiapas, México), D. Grande, F. Pérez-Gil (Iztapalapa, México), T. Alemán (Chiapas, México) and J. Carmona (Col. y Delegación Tlalpan, México). | 213 |
| Use of near-infrared reflectance spectroscopy for the estimation of the microbial portion of non-ammonia-nitrogen in the duodenum of dairy cows P. Lebzien and Chr. Paul (Braunschweig, Germany) | 225 |
| The use of Near Infrared Reflectance Spectroscopy on dried samples to predict biological parameters of grass silage R.S. Park (Hillsborough, Belfast, UK), F.J. Gordon, R.E. Agnew (Hillsborough, Belfast, UK), R.J. Barnes (Maidenhead, UK) and R.W.J. Steen (Hillsborough, Belfast, UK) | 235 |
| Ruminal digestion kinetics of citrus peel A.G. Silva, R.C. Wanderley, A.F. Pedroso (Sao Carlos, Brazil) and G. Ashbell (Bet-Dagan, Israel) | 247 |
| Nutritional evaluation of diets. Simulation model of digestion and passage of nutrients through the rumen-reticulum P. Chilibraste, C. Aguilar and F. García (Santiago, Chile) | 259 |
| Prediction of the total tract digestibility of energy in feedstuffs and pig diets by in vitro analyses S. Boisen and J.A. Fernández (Tjele, Denmark). | 277 |
| Peppermint (<i>Mentha piperita</i> Huds.) and basil (<i>Ocimum basilicum</i> L.) etheric oil by-products as roughages for sheep feeding D. Djouvinov, D. Pavlov, A. Ilchev and E. Enev (Stara Zagora, Bulgaria). | 287 |
| The effect of level of inclusion of the legume <i>Desmodium uncinatum</i> and the use of molasses or ground maize as additives on the chemical composition of grass- and maize-legume silages S. Sibanda, R.M. Jingura and J.H. Topps (Harare, Zimbabwe) | 295 |
| Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage D.R. Ouellet, J.R. Seoane (Québec, Canada), D.M. Veira and J.G. Proulx (Ontario, Canada) | 307 |
| Incorporation of recycled urea-N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet A. Al-Dehneh, J.T. Huber, R. Wanderley, C.B. Theurer, M. Pessarakli and D. DeYoung (Tucson, AZ, USA). | 327 |
| Effect of dietary protein source on performances and rumen characteristics of dairy cows P.W.-S. Chiou, B. Yu, S.-S. Wu (Taichung, Taiwan) and K.-J. Chen (Tainan, Taiwan). | 339 |

Short communications

| | |
|--|-----|
| Methods of field preservation and selection of sample tissue for condensed tannin analysis in <i>Leucaena</i> species S.A. Dalzell and H.M. Shelton (St Lucia, Australia) | 353 |
|--|-----|

| | |
|---|------------|
| Mode of degradation of non-starch polysaccharides by feed enzyme preparations J.I.R. Castañón, M.P. Flores (Las Palmas de Gran Canaria, Spain) and D. Pettersson (Uppsala, Sweden) | 361 |
| Book Reviews | |
| Wildlife Feeding and Nutrition | 367 |
| The Toxicology of Aflatoxins: Human Health, Veterinary, and Agricultural Significance | 368 |
| Forage tree legumes in tropical agriculture | 369 |
| Contents of <i>Animal Feed Science and Technology</i>, Volume 68 | 371 |

Contents continued

| | |
|---|------------|
| Effects of supplementation with fish meal or fish protein hydrolysate on growth, nutrient digestibility and rumen fermentation of growing cattle fed grass silage D.R. Ouellet, J.R. Seoane (Québec, Canada), D.M. Veira and J.G. Proulx (Ontario, Canada) | 307 |
| Incorporation of recycled urea-N into ruminal bacteria flowing to the small intestine of dairy cows fed a high-grain or high-forage diet A. Al-Dehneh, J.T. Huber, R. Wanderley, C.B. Theurer, M. Pessarakli and D. DeYoung (Tucson, AZ, USA) | 327 |
| Effect of dietary protein source on performances and rumen characteristics of dairy cows P.W.-S. Chiou, B. Yu, S.-S. Wu (Taichung, Taiwan) and K.-J. Chen (Tainan, Taiwan) | 339 |
| Short communications | |
| Methods of field preservation and selection of sample tissue for condensed tannin analysis in <i>Leucaena</i> species S.A. Dalzell and H.M. Shelton (St Lucia, Australia) | 353 |
| Mode of degradation of non-starch polysaccharides by feed enzyme preparations J.I.R. Castañón, M.P. Flores (Las Palmas de Gran Canaria, Spain) and D. Pettersson (Uppsala, Sweden) | 361 |
| Book Reviews | |
| Wildlife Feeding and Nutrition | 367 |
| The Toxicology of Aflatoxins: Human Health, Veterinary, and Agricultural Significance | 368 |
| Forage tree legumes in tropical agriculture | 369 |
| Contents of <i>Animal Feed Science and Technologies</i>, Volume 68 | 371 |

